EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	key with (cgms or (copy adj control$3)) with (Encrypted or enciphered or scrambled) adj data and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:18
L2	47	lead$in WITH copy and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:18
L3	8	(CCI or CGMS or (copy adj control$3 adj (information or data))) with (determin$ or choos$3 or select$3 or generat$4) near2 key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:18
L4	193	key near2 record$3 near medium and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:18
L5	64	record$4 adj medium near5 key with (copy$ or CCI or CGMS) and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:18
L6	1	generat$5 with content with key with (cgms or (copy near2 control near2 information)) and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:26
L7	6	content with key with (cgms or (copy near2 control near2 information)) and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:26
L8	1	(CCI or CGMS or (copy adj control$3 adj (information or data))) near2 unencrypted and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/05 13:29
S1	1	CGMS with key with (storage or CD) with data and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:28
S2	1	CGMS with key with select$3 with copy with (protect$ or control$3) and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:30
S3	0	copy adj control$3 adj data with key with stor$3 with record$ with medium and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:30

S4	1	copy adj control$3 with key with stor$3 with record$ with medium and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:31
S5	0	stor$3 with key with (cgms or (copy adj control$3)) with (Encrypted or enciphered or scrambled) adj data and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:32
S6	4	key with (cgms or (copy adj control$3)) with (Encrypted or enciphered or scrambled) adj data and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:37
S7	657	record$3 with key with (encrypted or enciphered or scrambled) and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:37
S8	1	record$3 with key with (encrypted or enciphered or scrambled) with CGMS and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 16:38
S9	1	S8 AND CGMS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:08
S10	0	copy adj control$3 adj (information or data) with lead$in and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:08
S11	1	CGMS with lead$in and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:10
S12	21070	lead$in and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:11
S13	45	lead$in WITH copy and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:16
S14	0	CCI with copy with CD and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:17
S15	32	CCI with copy and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:46

S16	2	CCI with copy with header and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:17
S17	15	CCI with header and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:18
S18	142	header with record$3 with copy and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:35
S19	2	"6611534".pn. and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:38
S20	5	CGMS with scrambl$ with copy and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:38
S21	1	(CCI or CGMS or (copy adj control$3 adj (information or data))) with lead$in and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:50
S22	1	(CCI or CGMS or (copy adj control$3 adj (information or data))) near2 unencrypted and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:51
S23	0	(CCI or CGMS or (copy adj control$3 adj (information or data))) near2 unscrambled and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:51
S24	50	(CCI or CGMS or (copy adj control$3 adj (information or data))) with header and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/24 17:55
S25	8	(CCI or CGMS or (copy adj control$3 adj (information or data))) with (determin$ or choos$3 or select$3 or generat$4) near2 key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 11:45
S26	0	(CCI or CGMS or (copy adj control$3 adj (information or data))) with "not" near (encrypt$3 or scrambl$3 or encipher$3) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 11:46

S27	0	"not" near (encrypt$3 or scrambl$3 or encipher$3) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 11:46
S28	19	(CCI or CGMS or (copy adj control$3 adj (information or data))) near2 (encrypt$3 or scrambl$3 or encipher$3) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 11:57
S29	4	(CCI or CGMS or (copy adj control$3 adj (information or data))) with (encrypt$3 or scrambl$3 or encipher$3) with key with (generat$3 or produc$3) and • @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 12:13
S30	1	(CCI or CGMS or (copy adj control$3 adj (information or data))) with (select$3 or choos$3 or generat$3) near3 (encrypt$3 or scrambl$3 or encipher$3) with key with (generat$3 or produc$3) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 12:14
S31	3	(CCI or CGMS or (copy adj control$3 adj (information or data))) with (select$3 or choos$3 or generat$3) near3 key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 12:20
S32	0	non$scrambl$3 near data with copy$ near2 (data or information) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 12:20
S33	0	non$scrambl$3 with copy$ near2 (data or information) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 12:20
S34	96	$scrambl$3 with copy$ near2 (data or information) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 12:43
S35	4	CGMS with data near area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 13:24
S36	2	((encryption adj mode adj indicator) or EMI) with (copy or prohibit$ or once) and (713/150-194.ccls. or 705/50-59.ccls.) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 13:42

12/5/07 1:54:41 PM
C:\Documents and Settings\SChen4\My Documents\EAST\Workspaces\09670119 information recording medium for recording a scrambl

Page 4

S37	101	((encryption adj mode adj indicator) or EMI) with (copy or prohibit$ or once) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 13:42
S38	3	((encryption adj mode adj indicator) or EMI) with (copy with prohibit$ with once) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 13:43
S39	9	key with (copy with prohibit$ with once) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 13:46
S40	2	EMI with (generat$3 or produc$3 or determin$) near3 key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 14:32
S41	8	CCI with (generat$4 or determin$) with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 14:38
S42	8	CGMS with (generat$4 or determin$) with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 16:09
S43	4	record$4 with encrypted near2 data with pre$recorded and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:32
S44	414	(CD or DVD) with key with (embed$3 or stor$3) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:33
S45	119	(CD or DVD) with key near2 (embed$3 or stor$3) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:46
S46	877821	read and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:46
S47	21	read$3 near3 key near2 record$3 near medium and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:53
S48	185	key near2 record$3 near medium and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:53

12/5/07 1:54:41 PM

Page 5

C:\Documents and Settings\SChen4\My Documents\EAST\Workspaces\09670119 information recording medium for recording a scrambl

S49	26	key near2 record$3 near medium with encrypt$3 and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 15:53
S50	2	S49 and (CCI or CGMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 16:11
S51	5	S48 AND (CCI or CGMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 16:14
S52	61	record$4 adj medium near5 key with (copy$ or CCI or CGMS) and @aD<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/25 16:16

12/5/07 1:54:41 PM

Page 6

C:\Documents and Settings\SChen4\My Documents\EAST\Workspaces\09670119 information recording medium for recording a scrambl

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	428	380/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/26 14:20
S2	4	(380/201.ccls. and @ad<="19990930") and scrambling adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/26 15:11
S3	16	scrambl$5 adj key with (cipher or encrypt$5 or encipher$5) adj key with (data or information) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/26 15:23
S4	10	digital with data with (produc$3 or generat$5) with scrambl$5 adj key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/26 15:28
S5	2	(generat$5 or deriv$5 or produc$5) near2 (scrambl$5 or cipher$3 or encrypt$5) adj key with based with (content or copyright or copy) with (information or data) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/26 16:56
S6	17	copy adj control adj (data or information) with ($4scrambl$5 or $4encrypt$3 or $4encipher$5) and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 09:49
S7	29	scrambl$5 adj key with (encrypt$5 or cipher$5 or encipher$5) adj key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 09:50
S8	7	divid$5 near3 sector$5 with data with record$5 with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 13:39
S9	46	divid$5 near3 sector$5 with data near2 divid$5 with record$5 with medium and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 13:39
S10	67	generat$5 adj2 scrambl$5 adj key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 13:54
S11	3	generat$5 adj2 scrambl$5 adj key adj based and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 15:31

EAST Search History

S12	24	record$5 with reproduc$5 with data.ab. and (lead$in or header) with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 16:08
S13	73	record$5 with reproduc$5 with data.ab. and first with second with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 16:11
S14	6	(header or lead$in) near3 key and (data adj2 area) near3 key and record$5 with reproduc$5 and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 16:28
S15	0	key adj2 stor$5 adj3 data adj record$5 adj area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 17:06
S16	0	key with stor$5 adj3 data adj record$5 adj area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 17:13
S17	249	key with stor$5 adj3 data adj2 area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 17:06
S18	31	key adj2 stor$5 adj3 data adj2 area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/27 17:07
S19	2	"6021199".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/28 11:17
S20	15	(US-6289102-$ or US-4278837-$ or US-6694023-$ or US-6516064-$ or US-6526510-$ or US-6347846-$ or US-6611534-$ or US-5799081-$ or US-RE37052-$ or US-6681015-$ or US-6266481-$ or US-6021199-$).did. or (US-20010046295-$ or US-20010019615-$).did. or (EP-802535-$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2004/04/28 11:17

EAST Search History

S21	3	((US-6289102-$ or US-4278837-$ or US-6694023-$ or US-6516064-$ or US-6526510-$ or US-6347846-$ or US-6611534-$ or US-5799081-$ or US-RE37052-$ or US-6681015-$ or US-6266481-$ or US-6021199-$). did. or (US-20010046295-$ or US-20010019615-$).did. or (EP-802535-$).did.) and disk adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/28 11:50
S22	4	software adj control with web adj page	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/28 11:55
S23	12	((US-6289102-$ or US-4278837-$ or US-6694023-$ or US-6516064-$ or US-6526510-$ or US-6347846-$ or US-6611534-$ or US-5799081-$ or US-RE37052-$ or US-6681015-$ or US-6266481-$ or US-6021199-$). did. or (US-20010046295-$ or US-20010019615-$).did. or (EP-802535-$).did.) and convert$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/28 12:29
S24	11	(cgms or (copy adj control)) with (convert$5 or generat$5) with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/28 12:31
S91	4	(380/201.ccls. and @ad<="19990930") and scrambling adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 11:35
S92	12	(cgms or (copy adj control)) with (convert$5 or generat$5) with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 11:35
S93	32	key adj2 stor$5 adj3 data adj2 area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 11:35
S94	7	divid$5 near3 sector$5 with data with record$5 with key and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 11:41
S95	6	(header or lead$in) near3 key and (data adj2 area) near3 key and record$5 with reproduc$5 and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 11:41

S96	32	key adj2 stor$5 adj3 data adj2 area and @ad<="19990930"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 11:41

12/5/07 1:55:42 PM
C:\Documents and Settings\SChen4\My Documents\EAST\Workspaces\09670119 information recording medium for recording a scrambl

Page 4